

Message

---

**From:** Juett, Lynn [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2FE22EFF4C48461CBD2504C76C7BC847-SLUGANTZ, LYNN]  
**Sent:** 11/15/2019 3:39:19 PM  
**To:** Garufi, Katherine [Garufi.Katherine@epa.gov]; Hovis, Jennifer [Hovis.Jennifer@epa.gov]; Wilson, Karl [Wilson.Karl@epa.gov]; Ammon, Doug (Ammon.Doug@epa.gov) [Ammon.Doug@epa.gov]; Fisher, Susan [Fisher.Susan@epa.gov]  
**CC:** Mehta, Sandeep [mehta.sandeep@epa.gov]  
**Subject:** FW: Congressional regarding Vogel Paint  
**Attachments:** Congressional AL-20-000-1165.pdf

All – I wanted to share with you the attached congressional inquiry regarding the Vogel Paint site in Orange City, IA. Region 7 would like to have a discussion with you next week to discuss a few of the technical/policy aspects brought up in the inquiry – specifically EPA's policy/practices on sharing draft Five Year Review Reports with PRPs and then of course the groundwater point of compliance issue.

I will send a separate email with a link to the latest Five Year Review for Vogel Paint which is referenced frequently in the inquiry. In that email I will also attach files of the GW ROD and ESDs.

Thank You,

*Lynn M Juett*

Chief, Remediation Branch  
Superfund and Emergency Management Division  
US EPA Region 7  
11201 Renner Blvd, Lenexa, KS 66219  
913-551-7883 (desk)  
913-948-1129 (cell)  
Juett.lynn@epa.gov

---

**From:** Hays, Marilyn <hays.marilyn@epa.gov>  
**Sent:** Thursday, November 14, 2019 4:26 PM  
**To:** Juett, Lynn <Juett.Lynn@epa.gov>  
**Cc:** Nelson, Jonathan <nelson.jonathan@epa.gov>  
**Subject:** Congressional regarding Vogel Paint